

Message

From: Chern, Laura A - DNR [Laura.Chern@wisconsin.gov]
Sent: 6/15/2017 3:22:10 PM
To: Burdett, Cheryl [burdett.cheryl@epa.gov]
CC: Scarpace, Michelle R - DNR [Michelle.Scarpace@wisconsin.gov]
Subject: RE: CSD Site Inspection

Thanks!

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Laura Chern P.G.
Phone: (608) 266-0126
Laura.Chern@wi.gov

From: Burdett, Cheryl [mailto:burdett.cheryl@epa.gov]
Sent: Thursday, June 15, 2017 10:17 AM
To: Chern, Laura A - DNR
Cc: Scarpace, Michelle R - DNR
Subject: RE: CSD Site Inspection

Hi Laura:

It all depends on how fast we get through our checklist questions, production area walk-around, and whether or not we sample. I was going to say 9-5 to give room.

EPA inspections usually range 4-6 hours. I would be surprised, if we find any runoff and need to sample, since it is an announced inspection, so should be done by 3, but cannot guarantee.

Cheryl

From: Chern, Laura A - DNR [mailto:Laura.Chern@wisconsin.gov]
Sent: Thursday, June 15, 2017 9:45 AM
To: Burdett, Cheryl <burdett.cheryl@epa.gov>
Cc: Scarpace, Michelle R - DNR <Michelle.Scarpace@wisconsin.gov>
Subject: CSD Site Inspection

Hi Cheryl, Some of our staff need to be back in Madison by 5 pm so we would like to leave the site by 3 pm. Please let me know if your timeline can accommodate our needs early in the day. If not, no problem, we will work out two carpools.

Thanks,
Laura

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Laura Chern P.G.

Hydrogeologist – Drinking Water and Groundwater Bureau/Water Division

Wisconsin Department of Natural Resources

Phone: (608) 266-0126

Fax: (608) 267-7650

Laura.Chern@wi.gov

